

# NEWLY ADDED PRODUCTS!

# S&S

TRUCK PARTS LLC

## AIR & BRAKE

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-28081	K066652	Control Valve (MV-3)	Multiple Mack & Volvo Applications Replacement for Bendix MV-3™ Ports: 3/8" PTC Exhaust Ports: 1/2" PTC (Straight) Mounting Threads: M6x1-6H
S-28083	800553	Control Valve (MV-3)	Replacement for Bendix MV-3™ Ports: 1/4" NPT Auxillary Ports: 1/8" NPT Mounting Hole Threads: 10-24
S-28084	800518	Control Valve (MV-3)	Replacement for Bendix MV-3™ Auxillary Ports: 1/8" NPT Mounting Plate Holes Open: .275"
S-28085	800147	Dash Control Valve (PP-DC)	Multiple Paccar Applications Replacement for Bendix PP-DC™ Includes PTC Fittings All Ports: 3/8" PTC Mounting Threads: M5x8-6H
S-28082	K036861	Control Valve (MV-3)	Multiple Mack & Volvo Applications Replacement for Bendix MV-3™ Ports: 1/4" NPT Mounting Hole Threads: M6 x 1-6H



## CAB & BODY

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-27859	16-06295	Tail Lamp Bracket	Peterbilt 388 & 389 Series Material: Steel
S-26958	R23-6029	Wiper Arm	Kenworth T680 Models Peterbilt 579 Series
S-27800	P54-6102-10000	HID Headlamp, LH	Peterbilt 579 & 589 Series
S-27799	P54-6102-10000R	HID Headlamp, RH	Peterbilt 579 & 589 Series
S-27798	P54-6103-10000 & P54-6103-10000R	Headlamp, Sold As Set Only	Kenworth T680 Models (2013 & Later) Black Housing LED Light Bar



AD-9 & AD-IS are Trademarks of Bendix Vehicle Systems, LLC.

Shop Online at: [www.sandstruck.com](http://www.sandstruck.com) | Customer Service Order Desk: 844.446.7388

All parts supplied are S&S Truck Parts, LLC/NEWSTAR. Use of other manufacturer's names, part numbers, or trademarks are solely used for informational/identification purposes.

# NEWLY ADDED PRODUCTS!

# S&S

TRUCK PARTS LLC

## DRIVE TRAIN

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-28065	X-8-645	Auxiliary Drive Gear Screw	10 Speed Fuller Transmission Models 3/8"-16 Threads x 1"
S-28031	104461-1	Clutch Assembly	Multiple Mack & Volvo Applications 13L Engine Models 430mm x 50mm Stamped Steel, Single Plate 24 Involute Spline Organic, 6-Spring, 1850 Torque



## ENGINE

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-28093	1917870PE	Exhaust Gasket, EGR	Kenworth T680 Models Multiple Paccar Applications Air Inlet
S-27137	2035973PE	Exhaust Gasket, EGR	Kenworth T660 w/ MX Engine Models Multiple Paccar Applications
S-28092	21482601	Exhaust Manifold Gasket	Volvo D9 & D11 Engine Models ID: 50.5mm OD: 70.5mm Material: Steel
S-28094	1786103PE	Exhaust Gasket, EGR	Paccar MX Engine Models Air Inlet
S-28003	EF5012S	Pipe, Exhaust Flex	Diameter: 5" Length: 12" Material: Stainless
S-28004	EF5018S	Pipe, Exhaust Flex	Diameter: 5" Length: 18" Material: Stainless
S-28005	EF5024S	Pipe, Exhaust Flex	Diameter: 5" Length: 24" Material: Stainless
S-28136	21643575	Level Sensor	Volvo FH, FM & FE Models Input: 24 Volts Output: 5 Volts Level Control Sensor
S-27797	20451992	DPF Sensor	Volvo D13 Engine Models Volvo FH & FM Models DPF Exhaust Air Intake Sensor
S-26388	4939565	Mounting Stud	Cummins ISB Turbocharger Engine Models 1.63" x .25"
S-27065	Q21-6134	Air Temperature Sensor	Peterbilt 389 & 579 Series Kenworth T600 Models



Shop Online at: [www.sandstruck.com](http://www.sandstruck.com) | Customer Service Order Desk: 844.446.7388

All parts supplied are S&S Truck Parts, LLC/NEWSTAR. Use of other manufacturer's names, part numbers, or trademarks are solely used for informational/identification purposes.

# NEWLY ADDED PRODUCTS!

# S&S

TRUCK PARTS LLC

## SUSPENSION

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-27886	83031	Shock Absorber	Kenworth T800 Aerocab Truck Models Product Line: FleetLine (Cab) Extended Length: 11.49" / 291.85mm Collapsed Length: 8.62" / 218.95mm Stroke: 2.87" / 72.9mm. Bore: 1-3/8 Dust Tube: YES Recoil Cutoff: YES
S-27887	85060	Shock Absorber	Kenworth T470 & T800 Models Peterbilt 357, 362, 372, 375, 376, 377, 378, 379 & 385 Series Extended: 19.75" Collapsed: 12.72"
S-27889	83051	Shock Absorber	International 9000 Series Cab Shocks w/ 51" Low- Roof Sleeper 72" High-Roof Sleeper Extended Length: 9.41"/239.01 mm Collapsed Length: 7.4"/187.96 mm Stroke: 2.01"/51.05 mm Bore: 1-3/8 Dust Tube: Yes Recoil Cutoff: Yes Rebound: 579 lb Compression: 163 lb



Shop Online at: [www.sandstruck.com](http://www.sandstruck.com) | Customer Service Order Desk: 844.446.7388

All parts supplied are S&S Truck Parts, LLC/NEWSTAR. Use of other manufacturer's names, part numbers, or trademarks are solely used for informational/identification purposes.