

MAY 2020 NEW PRODUCTS!

S&S

TRUCK PARTS LLC

AIR & BRAKE

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-26376	802569	Brake Rotor	Bendix ADB22X™ Air Disc Brake Systems OD: 17" Thickness: 1.77" Bolt Circle: 9.05" 10 Bolts Bolt Size: 1.034"



BEARING

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-28579	3173772	Tapered Bearing	Front Steer Axle Volvo VN, VNL & VHD Models



CAB & BODY

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-28341	21139224	Bracket	Catwalk Hold Down Mack Anthem & CXU Models



DRIVETRAIN

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-21827	11611	Isolator Kit	Polyurethane-Predrilled Multiple Eaton Fuller Shift Towers Rubber Non Drilled, Use K-3399
S-28107	4302468	Reduction Gear	Fuller Models RTO, RTOF14709MLL, 16909ALL FO-17E309ALL-VMS



ADB22X™ is a Trademarks of Bendix Vehicle Systems, LLC.

Shop Online at: www.sandstruck.com | Customer Service Order Desk: 844.446.7388

All parts supplied are S&S Truck Parts, LLC/NEWSTAR. Use of other manufacturer's names, part numbers, or trademarks are solely used for informational/identification purposes.

MAY 2020 NEW PRODUCTS!

S&S

TRUCK PARTS LLC


ENGINE

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-27769	22835301	Coolant Hose	Mack CXU612 with MP7 Engines
S-28572	84723807	Heater Hose	Volvo VNL Models
S-28548	2894939	NOX Sensor	Cummins ISX 11.9 & 15L & ISB 6.7L
S-28549	2894944	NOX Sensor	Cummins ISX 11.9 & 15L & ISB 6.7L
S-28550	3687334	NOX Sensor	Cummins ISX, OSX
S-28551	3687930	NOX Sensor	Cummins ISX 11.9L & 15L
S-28552	4326869	NOX Sensor	Cummins ISB 6.7L
S-28553	4326874	NOX Sensor	Cummins ISB 6.7L & ISX 15L



EXHAUST

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-24199	A4709970045	DPF Gasket	13.25" X 13.625 Detroit Diesel Series 60



HVAC

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-28571	F37-1018	Cabin Air Filter	Kenworth T660 & T680 Models Peterbilt 387 Series
S-28142	07-05861-2	Radiator Mount	Peterbilt 357, 359, 362, 377, 378, 379, 385 Series Qty Pk: 2



Shop Online at: www.sandstruck.com | Customer Service Order Desk: 844.446.7388

All parts supplied are S&S Truck Parts, LLC/NEWSTAR. Use of other manufacturer's names, part numbers, or trademarks are solely used for informational/identification purposes.

MAY 2020 NEW PRODUCTS!

S&S

TRUCK PARTS LLC

SUSPENSION

NEWSTAR #:	REPLACES:	DESCRIPTION:	PRODUCT INFORMATION:
S-28535	10353-01	Single Bolt Kit	Hutch 9600, 9700 Suspensions with 49" Tandem Axles Works w/ 16158-01
S-28534	10287-01	Double Bolt Kit	Hutch 9600, 9700 Suspensions with 49" Tandem Axles Works w/ 750-03
S-28536	16158-01	Single Bolt Equalizer	Hutch 9600, 9700 Suspensions with 49" Tandem Axles Stamped Primer Coated Steel, Hand Welded Natural Rubber Bushings Works w/ 10353-01
S-28542	750-03	Double Bolt Equalizer	Hutch 9600, 9700 Suspensions with 49" Tandem Axles Stamped Primer Coated Steel, Hand Welded Natural Rubber Bushings Works w/ 10287-01
S-28539	20728-01	Front Hanger, Top Mount	Hutch 9600, 9700 Suspensions with 49" Tandem Axles Stamped Primer Coated Steel, Hand Welded Machined Center Line Marks for Correct Spacing & Alignment
S-28540	20732-01	Rear Hanger, Top Mount	Hutch 9600, 9700 Suspensions with 49" Tandem Axles Stamped Primer Coated Steel, Hand Welded Machined Center Line Marks for Correct Spacing & Alignment
S-28537	16398-04	Torque Arm Adjustable	Hutch 9600, 9700 Suspensions with 49" Tandem Axles Primer Coated Steel, Hand Welded Minimum Length: 18.50" Maximum Length: 21.275" Coated Threads for Anti-Seize Natural Rubber Bushings
S-19380	E-2899	Torque Arm, Rigid	Hutch 9600, 9700 Suspensions with 49" Tandem Axles I Bar Style Primer Coated Steel, Hand Welded Solid Construction Natural Rubber Bushings 19.25 Center to Center
S-28538	16868-01	U-Bolt Plate	Multiple Hutch Suspensions with 49" Tandem Axles Works with 3" U-Bolts Length 8" Width 2.875"



Shop Online at: www.sandstruck.com | Customer Service Order Desk: 844.446.7388

All parts supplied are S&S Truck Parts, LLC/NEWSTAR. Use of other manufacturer's names, part numbers, or trademarks are solely used for informational/identification purposes.